

Appl. No. 09/703,140  
Amdt. dated March 10, 2004  
Response to Office Action of November 10, 2003

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A method of performing a product operation with rounding in a microprocessor in response to a single rounding multiplication instruction, the method comprising the steps of:

fetching a first pair of elements and a second pair of elements;

forming a most significant product of a first element of the first pair of elements and a most significant element of the second pair of elements and a least significant product of the first element of the first pair of elements and a least significant element of the second pair of elements;

combining the most significant product with the least significant product to form a combined product, wherein combining comprises shifting the most significant product left by a width of the least significant element of the second pair of elements prior to adding the most significant product to the least significant product;

rounding the combined product to form an intermediate result; and

shifting the intermediate result a selected amount to form a final result.

2. (Original) The method of Claim 1, wherein the step of shifting truncates a selected number of least significant bits of the intermediate result.

3. (Original) The method of Claim 2, wherein the step of rounding adds a rounding value to the combined product to form the intermediate result, and wherein the step of shifting shifts the intermediate result right by a selected shift amount.

4. (Original) The method of Claim 3, wherein the rounding value is  $2^{**n}$  and the selected shift amount is  $n+1$ .

5. (Original) The method of Claim 4, wherein  $n$  has a fixed value of fourteen.

Appl. No. 09/703,140  
Amtd. dated March 10, 2004  
Response to Office Action of November 10, 2003

6. (Original) The method of Claim 1, wherein the first element of the first pair of elements is a most significant element of the first pair of elements.

7. (Canceled)

8. (Withdrawn) A method of performing a product operation with rounding in a microprocessor in response to a single rounding multiplication instruction, the method comprising the steps of:

fetching a first pair of elements and a second pair of elements;

forming a most significant product of a first element of the first pair of elements and a most significant element of the second pair of elements and a least significant product of the first element of the first pair of elements and a least significant element of the second pair of elements;

rounding the least significant product to form a rounded least significant product;

shifting the rounded least significant result a selected amount to form a truncated least significant result; and

combining the most significant product with the truncated least significant product to form a final result.

9. (Currently Amended) A digital system having a microprocessor operable to execute a rounding multiplication instruction, wherein the microprocessor comprises:

storage circuitry for holding pairs of elements;

a multiply circuit connected to receive a first number of pairs of elements from the storage circuitry in a first execution phase of the microprocessor responsive to the multiplication instruction, the multiply circuit comprising a plurality of multipliers;

an arithmetic circuit connected to receive a most significant product and a least significant product from the plurality of multipliers, wherein the arithmetic circuit shifts the most significant product by a number of bits prior to adding the most significant product to the least

Appl. No. 09/703,140  
Amdt. dated March 10, 2004  
Response to Office Action of November 10, 2003

significant product, the arithmetic circuit having a provision for mid-position rounding responsive to the rounding multiplication instruction; and

a shifter connected to receive an output of the arithmetic circuit, the shifter operable to shift a selected amount in response to the rounding multiplication instructions.

10. (Original) The digital system of Claim 9, wherein the arithmetic circuit has a additional input connected to a mid-position, wherein the additional input is asserted in response to the rounding multiplication instruction.

11. (Original) The digital system according to Claim 9 being a cellular telephone, further comprising:

an integrated keyboard connected to the processor via a keyboard adapter;  
a display, connected to the processor via a display adapter;  
radio frequency (RF) circuitry connected to the processor; and  
an aerial connected to the RF circuitry.